



Specification

Product Name: Xmas Pudding Flavour Drop

Product Code: SPEC0142

Description:

Food Flavouring Drops are premium quality water soluble intense flavours which provide an exceptionally efficient method of adding flavour. They are a highly concentrated, versatile, multi-use product for both food and liquid. They should be used sparingly; 1-2 ml is ample to flavour 1 litre of base liquid. Each 30ml bottle contains approximately 800 drops. Food Flavouring Drops disperse well in most foods and drinks. They are ideal for flavouring cakes, icings, fondants, ice cream, sorbets, cupcakes, pastry, salads, sauces, frostings, ganache, desserts, cocktails, drinks, cream, wine, beer, spirits, sweets and more. They can also be used to enhance the flavour of a dish, without changing the texture of the original product.

Odour & Flavour:

Characteristic. Conforms to standard.

Ingredients:

Flavouring substances, Flavouring preparations, Ethanol alcohol, Propylene Glycol (E1520).

Dietary Information:

Suitable for Vegans, Ovo-lacto Vegetarians & Vegetarians, Non-GMO, Gluten Free, Allergen Free, Non-Irradiated, No Added Sugar.

Nutritional Information:

Energy: 1506.2kj/360kcal (Based on 100g)

Storage:

Dark, dry and cool conditions, not in direct sunlight.

Packaging:

30ml	5060341112263
500ml	5056191010903
1 Litre	5056191006425
5 Litre	5056191006432

Country of Origin:

United Kingdom.

Shelf Life:

24 months if stored as above and unopened.

Density (g/ml) at 20°C:

0.975 – 0.995



www.specialingredients.co.uk

Tel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393

**Refractive Index at 20°C:**

1.410 – 1.430

Flashpoint °C (closed cup):

<36

Labelling according to Regulation (EC) No. 1334/2008:

Flavouring

Hazards:

Flammable. Please see MSDS.

Allergen Declaration

Allergen	Contains (Y/N)
Cereals containing Gluten	N
Crustaceans	N
Eggs	N
Fish	N
Peanuts	N
Soybeans	N
Milk	N
Nuts	N
Celery	N
Mustard	N
Sesame Seeds	N
Sulphur Dioxide and Sulphites (at concentration of more than 10mg/kg or 10mg/L in terms of Sulphur Dioxide)	N
Lupin	N
Molluscs	N

Material Safety Data Sheet

1: Identification of the substance/mixture and of the company/undertaking:**1.1 – Product identifier**

Product form: Mixture,

Product name: Xmas Pudding Flavour Drop.

1.2 – Relevant identified uses of the substance or mixture and uses advised against:**1.2.1: Relevant identified uses:** use of the substance/mixture: Food and/or beverage flavouring.**1.2.2: Uses advised against:** Restrictions on use: Not for direct consumption.**1.3 – Details of the supplier of the safety data sheet:**

Company: Special Ingredients Ltd, 4 Foxwood View, Chesterfield, S41 9RN. Tel: 0044 (0)1246 906247

1.4 - Emergency Telephone Contact: 07387 330318. <https://specialingredients.co.uk/pages/contact>www.specialingredients.co.ukTel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393

2: Hazards Identification:**2.1 – Classification of the substance or mixture:**

Classification according to Regulation (EC) No. 1272/2008 (CLP):

- Flammable liquids, Category 2: H225
- Carcinogenicity, Category 1B: H350
- Hazardous to the aquatic environment — Chronic Hazard, Category 3: H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects: Highly flammable liquid and vapour. May cause cancer. Suspected of causing genetic defects. May cause an allergic skin reaction.

2.2 – Label elements:

Labelling according to Regulation (EC) no. 1272/2008 [CLP],



GSH02

GHS08

Signal word (CLP): Danger

Contains: Cinnamon leaf oil, Nutmeg oil

Hazard statements (CLP):

- H225 - Highly flammable liquid and vapour.
- H350 - May cause cancer.
- H412 – Harmful to aquatic life with long lasting effects

Precautionary statements (CLP):

- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 - Keep container tightly closed.
- P240 - Ground and bond container and receiving equipment.
- P241 - Use explosion-proof electrical/ventilating/lighting equipment.

EUH-statements: EUH208 - Contains Allspice oil(84929-57-7), Cinnamon leaf oil(84649-98-9), Lemon Oil(84929-31-7), Nutmeg oil(84082-68-8), Orange Oil(8028-48-6), Clove Leaf Oil(84961- 50-2). May produce an allergic reaction.

2.3 – Other hazards:

No additional information available

3: Composition/Information on Ingredients:**3.1 – Substances:**

Not applicable.

3.2 – Mixtures:

Name	Product identifier	%	Classification according to Regulation (EC) no.1272/2008 [CLP]
Propylene glycol	(CAS-No.) 57-55-6	50 – 80	Not classified



substance with national workplace exposure limit(s) (GB)	(EC-No.) 200-338-0		
Ethanol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	10 – 30	Flam. Liq. 2, H225
Cinnamon leaf oil	(CAS-No.) 84649-98-9 (EC-No.) 283-479-0	< 1	Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Aquatic Chronic 3, H412
Orange Oil	(CAS-No.) 8028-48-6 (EC-No.) 232-433-8	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Nutmeg oil	(CAS-No.) 84082-68-8 (EC-No.) 282-013-3	< 1	Flam. Liq. 3, H226 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Aquatic Chronic 2, H411
Clove Leaf Oil	(CAS-No.) 84961-50-2 (EC-No.) 284-638-7	< 1	Skin Sens. 1, H317
Allspice oil	(CAS-No.) 84929-57-7 (EC-No.) 284-540-4	< 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Lemon Oil	(CAS-No.) 84929-31-7 (EC-No.) 284-515-8	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full Text of H- and EUH statements: see section 16.

4: First Aid Measures:

4.1 – Description of First Aid Measures:

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2 – Most important symptoms and effect, both acute and delayed:

No additional information available

4.3 – Indication of any immediate medical attention and special treatment needed:

Treat Symptomatically.



5: Firefighting Measures:

5.1 - Extinguishing media:

Suitable extinguishing media: Water spray, Dry powder, Foam, Carbon dioxide.

5.2 – Special hazards arising from the substance or mixture:

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3 – Advice for firefighters:

Protection during firefighting: Do not attempt to take action without suitable protective equipment, Self-contained breathing apparatus, Complete protective clothing.

6: Accidental Release Measures:

6.1 – Personal precautions, protective equipment and emergency procedures:

6.1.1 – For non-emergency personnel:

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2 – For emergency responders:

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8. "Exposure controls/ personal protection."

6.2 – Environmental Precautions:

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3 – Methods and material for containment and cleaning up:

Methods for cleaning up: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information: Dispose of materials or solid residues at an authorized site.

6.4 – Reference to other sections:

For further information refer to section 13.

7: Handling and Storage:

7.1 – Precautions for safe handling:

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or

smoke when using this product. Always wash hands after handling the product.

7.2 – Conditions for safe storage, including any incompatibilities:

Technical measures: Ground/bond container and receiving equipment.

Storage conditions: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

7.3 – Specific end use(s):

No additional information available.

8: Exposure Controls/ Personal Protection:

8.1 – Control parameters:

8.1.1 National occupational exposure and biological limit values

Propylene glycol (57-55-6)	
United Kingdom	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	474 mg/m ³ 10 mg/m ³
WEL TWA (OEL TWA) [2]	150 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Ethanol (64-17-5)	
United Kingdom	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m ³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2 – Exposure controls:

8.2.1 Appropriate engineering controls

Ensure good ventilation of the work station.

8.2.2 Person protective equipment

Wear recommended personal protective equipment

Personal protective equipment symbol(s)



**8.2.2.1 Eye and face protection**

Eye protection			
Safety Glasses			
Type	Field of application	Characteristics	Standard
Safety Goggles	Droplet, Dust	Clear, Plastic	EN 166 1B3

8.2.2.2 Skin protection

Skin and body protection	
Type	Standard
Lab Coat	ASTM F903

Hand Protection					
Protective gloves against chemicals (EN 374)					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	0.20-0.30	2 (< 1.5)	EN 420, EN 16523-1, EN ISO 374-1, EN 374-2, EN 374-4, EN 374-5

8.2.2.3 Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory Protection			
Device	Filter type	Condition	Standard
Powered Air-purifying Respirator (PAPR)	Filter AX (brown), Filter P (white), Type A – High Boiling (>65 °C) organic compounds	Protection for liquid particles, Protection for solid particles, Short term exposure	EN 12941

9: Physical and Chemical Properties:**9.1 – Information on basic physical and chemical properties:**

Physical state: Liquid

Colour: Brown.

Odour: Characteristic. Conforms to Standard.

Odour threshold: No data available

pH: No data available

Relative evaporation rate (butylacetate=1): No data available

Melting point: Not applicable

Freezing point: No data available

Boiling point: > 35 °C

Flash point: < 15 °C

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Flammability (solid, gas): Not applicable

Vapour pressure: No data available

Relative vapour density at 20 °C: No data available

Relative density: No data available

Density: 0.985 (0.975 – 0.995) g/ml at 20°C

Solubility: No data available

Partition coefficient n-octanol/water (Log Pow): No data available

Viscosity, kinematic: No data available



Viscosity, dynamic: No data available
Explosive properties: No data available
Oxidising properties: No data available
Explosive limits: No data available

9.2 – Other information:

Refractive index: 1.41 – 1.43

10: Stability and Reactivity:

10.1 – Reactivity:

Highly flammable liquid and vapour.

10.2 – Chemical Stability:

Stable under normal conditions.

10.3 - Possibility of hazardous reactions:

No dangerous reactions known under normal conditions of use.

10.4 – Conditions to avoid:

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5 – Incompatible materials:

No additional information available.

10.6 – Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11: Toxicological Information:

11.1 – Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity (oral): Not classified
Acute toxicity (dermal): Not classified
Acute toxicity (inhalation): Not classified
Skin corrosion/irritation: Not classified
Serious eye damage/irritation: Not classified
Respiratory or skin sensitisation: Not classified
Germ cell mutagenicity: Not classified
Carcinogenicity: May cause cancer.
Reproductive toxicity: Not classified
STOT-single exposure: Not classified
STOT-repeated exposure: Not classified
Aspiration hazard: May be fatal if swallowed and enters airways.
Other information: Special Ingredients Ltd do not test on animals, this is historical information.

12: Ecological Information:

12.1 – Toxicity:

Ecology – General: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute): Not classified



Hazardous to the aquatic environment, Long-term (Chronic): Harmful to aquatic life with long lasting effects.

12.2 – Persistence and Degradability:

Propylene glycol (57-55-6)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.96 – 1.08 g O /g substance
Chemical oxygen demand (COD)	1.63 g O /g substance
ThOD	1.69 g O /g substance

Ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	0.43

12.3 - Bioaccumulative Potential:

No additional information available

12.4 - Mobility in soil:

Propylene glycol (57-55-6)	
Surface tension	71.6 mN/m (21.5 °C, 1.01 g/l, EU Method A.5: Surface tension))
Organic Carbon Normalized Adsorption Coefficient (Log K _{oc})	0.46 (log K _{oc} , Calculated value)
Ecology – soil	Highly mobile in soil

Ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Ecology – soil	Highly mobile in soil

12.5 - Results of PBT and vPvB assessment:

Component	
Propylene glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

**12.6 – Other adverse effects:**

No additional information available.

13: Disposal Considerations:**13.1 – Waste treatment methods:**

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information: Flammable vapours may accumulate in the container.

14: Transport Information:

In accordance with ADR/IMDG/IATA/ADN/RID.

ADR	IMDG	IATA	ADN	RID
14.1 UN number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2 UN proper shipping name				
FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate)	FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate)	Flammable liquid, n.o.s. (ethanol; ethyl alcohol ; ethyl crotonate)	FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate)	FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate)
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate), 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate), 3, II	UN 1993 Flammable liquid, n.o.s. (ethanol; ethyl alcohol ; ethyl crotonate), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol ; ethyl crotonate), 3, II
14.3 Transport hazard classes				
3	3	3	3	3
14.4 Packing group				
II	II	II	II	II
14.5 Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No Supplementary information available				

14.6 – Special precautions for user:**Overland Transport**

Classification code (ADR): F1

Special provisions (ADR): 274, 601, 640D

Limited quantities (ADR): 1I

Excepted quantities (ADR): E2

Packing instructions (ADR): P001, IBC02, R001



www.specialingredients.co.uk

Tel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393



Mixed packing provisions (ADR): MP19

Portable tank and bulk container instructions (ADR): T7

Portable tank and bulk container special provisions (ADR): TP1, TP8, TP28

Tank code (ADR): LGBF

Vehicle for tank carriage: FL

Transport category (ADR): 2

Special provisions for carriage - Operation (ADR): S2, S20

Hazard identification number (Kemler No.): 33

Orange plates:

90
1993

Tunnel restriction code (ADR): D/E

EAC code: •3YE

Transport by sea

Special provisions (IMDG): 274

Limited quantities (IMDG): 1 L

Excepted quantities (IMDG): E2

Packing instructions (IMDG): P001

IBC packing instructions (IMDG): IBC02

Tank instructions (IMDG): T7

Tank special provisions (IMDG): TP1, TP28, TP8

EmS-No. (Fire): F-E

EmS-No. (Spillage): S-E

Stowage category (IMDG): B

Air Transport

PCA Excepted quantities (IATA): E2

PCA Limited quantities (IATA): Y341

PCA limited quantity max net quantity (IATA): 1L

PCA packing instructions (IATA): 353

PCA max net quantity (IATA): 5L

CAO packing instructions (IATA): 364

CAO max net quantity (IATA): 60L

Special provisions (IATA): A3

ERG code (IATA): 3H

Inland waterway transport

Classification code (ADN): F1

Special provisions (ADN): 274, 601, 640D

Limited quantities (ADN): 1 L

Excepted quantities (ADN): E2

Equipment required (ADN): PP, EX, A

Ventilation (ADN): VE01

Number of blue cones/lights (ADN): 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640D

Limited quantities (RID) : 1L



www.specialingredients.co.uk

Tel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393



Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions (RID): TP1, TP8, TP28

Tank codes for RID tanks (RID): LGBF

Transport category (RID): 2

Colis express (express parcels) (RID): CE7

Hazard identification number (RID): 33

14.7 – Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

15: Regulatory Information:

15.1 – Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1 – EU regulations:

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2 – National Regulations:

No additional information available

15.2 – Chemical safety assessment:

No chemical safety assessment has been carried out.

16: Other Information:

Abbreviations and acronyms	
ADN	European Agreement concerning the international carriage of dangerous goods by inland waterways
ADR	European Agreement concerning the international carriage of dangerous goods by road
ATE	Acute toxicity Estimate
BCF	Bio-concentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived minimal effect level
DNEL	Derived-no effect level
EC-No.	European community number
EC50	Median effective concentration
EN	European standard
IARC	International Agency for research on Cancer
IATA	International Air Transport Association



IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bio accumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the international Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bio accumulative
ED	Endocrine disrupting properties

Full Text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
EUH208	Contains Allspice oil(84929-57-7), Cinnamon leaf oil(84649-98-9), Lemon Oil(84929-31-7), Nutmeg oil(84082-68-8), Orange Oil(8028-48-6), Clove Leaf Oil(84961-50-2). May produce an allergic reaction.
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

The information contained herein is to the best of our knowledge, but since the circumstances and conditions



in which it may be used are beyond our control, we do not accept any liability whatsoever, however arising, which results directly or indirectly from the use of the product.