



Specification

Product Name: Root Beer Flavour Drop

Product Code: SPEC0129

Description:

Food Flavouring Drops are premium quality water soluble intense flavours which provide an exceptionally efficient method of adding flavour. They are a highly concentrated, versatile, multi-use product for both food and liquid. They should be used sparingly; 1-2 ml is ample to flavour 1 litre of base liquid. Each 30ml bottle contains approximately 800 drops. Food Flavouring Drops disperse well in most foods and drinks. They are ideal for flavouring cakes, icings, fondants, ice cream, sorbets, cupcakes, pastry, salads, sauces, frostings, ganache, desserts, cocktails, drinks, cream, wine, beer, spirits, sweets and more. They can also be used to enhance the flavour of a dish, without changing the texture of the original product.

Odour & Flavour:

Characteristic. Conforms to standard.

Ingredients:

Flavouring preparations, Flavouring substances, Ethanol, Propylene Glycol (E1520).

Dietary Information:

Suitable for Vegans, Ovo-lacto Vegetarians & Vegetarians, Non-GMO, Gluten Free, Allergen Free, Non-Irradiated, No Added Sugar.

Nutritional Information:

Energy: 1673.6kj/400kcal (Based on 100g).

Storage:

Dark, dry and cool conditions, not in direct sunlight.

Packaging:

30ml	5060341111914
500ml	5056191010811
1 Litre	5056191006180
5 Litre	5056191006197

Country of Origin:

United Kingdom.

Shelf Life:

24 months if stored as above and unopened.

Density (g/ml) at 20°C:

1.005 – 1.025



www.specialingredients.co.uk

Tel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393

**Refractive Index at 20°C:**

1.425 – 1.445

Flashpoint °C (closed cup):

<33

Labelling according to Regulation (EC) No. 1334/2008:

Flavouring

Hazards:

Flammable. Please see MSDS.

Allergen Declaration

Allergen	Contains (Y/N)
Cereals containing Gluten	N
Crustaceans	N
Eggs	N
Fish	N
Peanuts	N
Soybeans	N
Milk	N
Nuts	N
Celery	N
Mustard	N
Sesame Seeds	N
Sulphur Dioxide and Sulphites (at concentration of more than 10mg/kg or 10mg/L in terms of Sulphur Dioxide)	N
Lupin	N
Molluscs	N

Material Safety Data Sheet

1: Identification of the substance/mixture and of the company/undertaking:**1.1 – Product identifier**

Product form: Mixture,

Product name: Root Beer Flavour Drop.

1.2 – Relevant identified uses of the substance or mixture and uses advised against:**1.2.1: Relevant identified uses:** Food and/or beverage Flavouring**1.2.2: Uses advised against:** Not for direct consumption**1.3 – Details of the supplier of the safety data sheet:**

Company: Special Ingredients Ltd, 4 Foxwood View, Chesterfield, S41 9RN. Tel: 0044 (0)1246 906247

1.4 - Emergency Telephone Contact: 07387 330318. <https://specialingredients.co.uk/pages/contact>[www.specialingredients.co.uk](https://specialingredients.co.uk)Tel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393

2: Hazards Identification:**2.1 – Classification of the substance or mixture:**

Classification according to Regulation (EC) No. 1272/2008 (CLP):

Flammable liquids, Category 2: H225

Skin sensitisation, Category 1: H317

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects: Highly flammable liquid and vapour. May cause an allergic skin reaction.

2.2 – Label elements:

Labelling according to Regulation (EC) no. 1272/2008 [CLP]:

Hazard Pictograms (CLP):



GHS02

GHS07

Signal word (CLP): Danger

Contains: Ginger Oil; Allspice oil; Coriander seed oil

Hazard Statements (CLP):

- H225 – Highly flammable liquid and vapour.
- H317 – May cause an allergic skin reaction

Precautionary statements (CLP):

- P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources, No smoking.
- P233 – Keep container tightly closed.
- P240 – Ground and bond container and receiving equipment.
- P241 – Use explosion-proof electrical/ ventilating, lighting equipment.
- P261 – Avoid breathing vapours.
- P272 – Contaminated work clothing should not be allowed out of the workplace.

2.3 – Other hazards:

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

Component	
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59 (1) of



REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1%.

3: Composition/Information on Ingredients:

3.1 – Substances:

Not applicable.

3.2 – Mixtures:

Name	Product identifier	%	Classification according to Regulation (EC) no.1272/2008 [CLP]
methyl salicylate	CAS-No.: 119-36-8 EC-No.: 204-317-7	1 – 5	Acute Tox. 4 (Oral), H302
Allspice oil	CAS-No.: 84929-57-7 EC-No.: 284-540-4	< 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Coriander seed oil	CAS-No.: 84775-50-8 EC-No.: 283-880-0	< 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ginger Oil	CAS-No.: 84696-15-1 EC-No.: 283-634-2, 616-904-9	< 1	Skin Sens. 1A, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

4: First Aid Measures:

4.1 – Description of First Aid Measures:

First-aid measures general: If you feel unwell, seek medical advice.

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact: Rinse eyes with water as a precaution.

First-aid measures after ingestion: Call a poison centre or a doctor if you feel unwell.

4.2 – Most important symptoms and effect, both acute and delayed:

Symptoms/effects after inhalation: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact: May cause an allergic skin reaction.

Symptoms/effects after eye contact: None under normal conditions.

Symptoms/effects after ingestion: None under normal conditions.

4.3 – Indication of any immediate medical attention and special treatment needed:

Treat Symptomatically.

5: Firefighting Measures:

5.1 - Extinguishing media:

Suitable extinguishing media: Water spray, Dry powder, Foam, Carbon dioxide.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2 – Special hazards arising from the substance or mixture:

Fire hazard: Highly flammable liquid and vapour.



Explosion hazard: No direct explosion hazard.

Hazardous decomposition products in case of fire: Toxic fumes may be released.

5.3 – Advice for firefighters:

Firefighting instructions: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6: Accidental Release Measures:

6.1 – Personal precautions, protective equipment and emergency procedures:

General measures: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1 – For non-emergency personnel:

Protective equipment: Wear recommended personal protective equipment.

Emergency procedures: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing vapors/dust.

6.1.2 – For emergency responders:

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8. “Exposure controls/ personal protection.”

Emergency procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2 – Environmental Precautions:

Avoid release to the environment.

6.3 – Methods and material for containment and cleaning up:

For containment: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4 – Reference to other sections:

For further information refer to section 13.

7: Handling and Storage:

7.1 – Precautions for safe handling:

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing vapors/dust.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands



after handling the product.

7.2 – Conditions for safe storage, including any incompatibilities:

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in cool, dry conditions in the original unopened containers, between 5-20°C. Reseal container tightly once opened.

Packaging materials : Store always product in container of same material as original container.

7.3 – Specific end use(s):

No additional information available.

8: Exposure Controls/ Personal Protection:

8.1 – Control parameters:

8.1.1 National occupational exposure and biological limit values

Propylene glycol (57-55-6)	
United Kingdom – Occupational Exposure Limits	
Local name	Propate-1,2-diol
WEL TWA (OEL TWA) [1]	474 mg/m ³ 10 mg/m ³
WEL TWA (OEL TWA) [2]	150 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Ethanol (64-17-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	1907 mg/m ³
	1000 ppm
France - Occupational Exposure Limits	
France - Occupational Exposure Limits	
VME (OEL TWA)	1900 mg/m ³
	1000 ppm
VLE (OEL C/STEL)	9500 mg/m ³
	5000 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	260 mg/m ³
	136 ppm
TGG-15min (OEL STEL)	1900 mg/m ³
	992 ppm
United Kingdom - Occupational Exposure Limits	

Local name	Ethanol
WEL TWA (OEL TWA)	1920 mg /m ³
	1000 ppm
Regulatory reference	EH40/2005 (Third edition, 2018). HSE
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL STEL	1000 ppm

8.1.2 Recommended monitoring procedures

No additional information available.

8.1.3 Air contaminants formed

No additional information available.

8.1.4 DNEL and PNEC

No additional information available.

8.1.5 Control banding

No additional information available.

8.2 – Exposure controls:**8.2.1 Appropriate engineering controls**

Ensure good ventilation of the work station.

8.2.2 Person protective equipment

Wear recommended personal protective equipment

Personal protective equipment symbol(s)

**8.2.2.1 Eye and face protection**

Eye protection			
Safety Glasses			
Type	Field of application	Characteristics	Standard
Safety Goggles	Droplet, Dust	Clear, Plastic	EN 166 1B3

8.2.2.2 Skin protection

Skin and body protection	
Type	Standard
Lab Coat	ASTM F903

Hand Protection
Protective gloves against chemicals (EN 374)



Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	0.20-0.30	2 (< 1.5)	EN 420, EN 16523-1, EN ISO 374-1, EN 374-2, EN 374-4, EN 374-5

8.2.2.3 Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory Protection			
Device	Filter type	Condition	Standard
Powered Air-purifying Respirator (PAPR)	Filter AX (brown), Filter P (white), Type A – High Boiling (>65 °C) organic compounds	Protection for liquid particles, Protection for solid particles, Short term exposure	EN 12941

8.2.2.4 Thermal hazards

No additional information available.

8.2.3 Environmental exposure controls

Environmental exposure controls: avoid release to the environment.

9: Physical and Chemical Properties:

9.1 – Information on basic physical and chemical properties:

Physical state: Liquid

Colour: Pale Yellow.

Odour: Characteristic. Conforms to Standard.

Odour threshold: Not available

Melting point: Not applicable

Freezing point: Not available

Boiling point: > 35 °C

Flammability: Highly flammable liquid and vapour.

Explosive limits: Not available

Lower explosion limit: Not available

Upper explosion limit: Not available

Flash point: < 15 °C

Auto-ignition temperature: Not available

Decomposition temperature: Not available

pH: Not available

Viscosity, kinematic: Not available

Solubility: Not available

Partition coefficient n-octanol/water (Log Kow): Not available

Vapour pressure: Not available

Vapour pressure at 50°C: Not available

Density: 1.015 (1.005 – 1.025) g/ml at 20°C

Relative density: Not available

Relative vapour density at 20°C: Not available

Particle characteristics: Not applicable

9.2 – Other information:

9.2.1 Information with regard to physical hazard classes



www.specialingredients.co.uk

Tel: 01246 906247 | Foxwood Industrial Park, Chesterfield, S41 9RN, United Kingdom
Registered UK Company No: 08758412 | UK VAT No: GB175274393



No additional information available.

9.2.2 Other safety characteristics

Refractive index: 1.425 – 1.445

10: Stability and Reactivity:

10.1 – Reactivity:

Highly flammable liquid and vapour.

10.2 – Chemical Stability:

Stable under normal conditions.

10.3 - Possibility of hazardous reactions:

No dangerous reactions known under normal conditions of use.

10.4 – Conditions to avoid:

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5 – Incompatible materials:

No additional information available.

10.6 – Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11: Toxicological Information:

11.1 – Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity (oral): Not classified

Acute toxicity (dermal): Not classified

Acute toxicity (inhalation): Not classified

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
LD50 oral rat	3300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	3500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE CLP (oral)	3300 mg/kg bodyweight

Propylene glycol (57-55-6)	
LD50 oral rat	22000 mg/kg (Rat, Male/female, Experimental value, Oral)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation – Rat	> 44.9 mg/l (4 h, Rat, Male/female, Experimental value, Inhalation (aerosol), 7 day(s))A



ATE CLP (oral)	22000 mg/kg bodyweight
----------------	------------------------

Allspice oil (84929-57-7)

LD50 oral	2751 mg/kg bodyweight
ATE CLP (oral)	2751 mg/kg bodyweight

trans-Anethole (4180-23-8)

LD50 oral	3000 mg/kg bodyweight
ATE CLP (oral)	3000 mg/kg bodyweight

Coriander seed oil (84775-50-8)

LD50 oral	3565 mg/kg bodyweight
ATE CLP (oral)	3565 mg/kg bodyweight

Ethanol (64-17-5)

LD50 oral rat	10740 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 Inhalation - Rat	117 – 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)
ATE CLP (oral)	10740 mg/kg bodyweight

methyl salicylate (119-36-8)

LD50 oral	890 mg/kg bodyweight
ATE CLP (oral)	890 mg/kg bodyweight

Skin corrosion/irritation: Not classified

Propylene glycol (57-55-6)

pH	6.5 – 7.5 (50%)
----	-----------------

Ethanol (64-17-5)

pH	7 (789 g/l, 20 °C)
----	--------------------

Serious eye damage/irritation: Not classified

Propylene glycol (57-55-6)

pH	6.5 – 7.5 (50%)
----	-----------------

Ethanol (64-17-5)

pH	7 (789 g/l, 20 °C)
----	--------------------

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

STOT-single exposure: Not classified

STOT-repeated exposure: Not classified

Aspiration hazard: Not classified

4-hydroxy-3-methoxybenzaldehyde (121-33-5)

Viscosity, kinematic	Not applicable
----------------------	----------------

Propylene glycol (57-55-6)

Viscosity, kinematic	41.426 mm ² /s
----------------------	---------------------------

trans-Anethole (4180-23-8)

Viscosity, kinematic	Not applicable
----------------------	----------------

Ethanol (64-17-5)

Viscosity, kinematic	1.082 mm ² /s (40 °C)
----------------------	----------------------------------

11.2 – Information on other hazards

11.2.1 Endocrine disrupting properties

No additional information available.

11.2.2 Other information

Other information: Special Ingredients Ltd do not test on animals, this is historical information.

12: Ecological Information:

12.1 – Toxicity:

Ecology – General: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute): Not classified

Hazardous to the aquatic environment, Long-term (Chronic): Not classified

4-hydroxy-3-methoxybenzaldehyde (121-33-5)

LC50 – Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)



Propylene glycol (57-55-6)	
LC50 – Fish [1]	40613 mg/l (96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
ErC50 algae	24200 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

Ethanol (64-17-5)	
LC50 – Fish [1]	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)

12.2 – Persistence and Degradability:

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Persistence and degradability	Readily biodegradable in water.

Propylene glycol (57-55-6)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.96 – 1.08 g O ₂ /g substance
Chemical oxygen demand (COD)	1.63 g O ₂ /g substance
ThOD	1.69 g O ₂ /g substance

Ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O /g substance
Chemical oxygen demand (COD)	1.7 g O /g substance
ThOD	2.1 g O /g substance
BOD (% of ThOD)	0.43

methyl salicylate (119-36-8)	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
ThOD	1.37 g O /g substance
BOD (% of ThOD)	0.65 (5 day(s), Literature study)

12.3 - Bioaccumulative Potential:

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)

Bioaccumulative Potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

Propylene glycol (57-55-6)	
Partition coefficient n-octanol/water (Log Pow)	-1.07 (Experimental value, EU Method A.8: Partition Coefficient, 20.5°C)
Bioaccumulative Potential	Not bioaccumulative

Ethanol (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

methyl salicylate (119-36-8)	
BCF - Fish [1]	46 (Pimephales promelas, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.59 – 2.98
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4 - Mobility in soil:

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Organic Carbon Normalised Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology – soil	Low potential for mobility in soil.

Propylene glycol (57-55-6)	
Surface tension	71.6 mN/m (21.5°C, 1.01 g/l, EU Method A.5: Surface tension)
Organic Carbon Normalised Adsorption Coefficient (Log Koc)	0.46 (log Koc, Calculated value)
Ecology – soil	Highly mobile in soil

Ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Ecology - soil	Highly mobile in soil.

12.5 - Results of PBT and vPvB assessment:

Component	
4-hydroxy-3-methoxybenzaldehyde	This substance/mixture does not meet the PBT criteria of REACH



(121-33-5)	regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6 – Endocrine disrupting properties

No additional information available.

12.7 – Other adverse effects

No additional information available.

13: Disposal Considerations:**13.1 – Waste treatment methods:**

Regional legislation (waste): Disposal must be done according to official regulations.

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations: Disposal must be done according to official regulations.

Product/Packaging disposal recommendations: Disposal must be done according to official regulations.

Additional information: Flammable vapours may accumulate in the container. Do not re-use empty containers.

14: Transport Information:

In accordance with ADR/IMDG/IATA/ADN/RID.

14.1 UN number

UN-NO. (ADR): UN 1993

UN-NO. (IMDG): UN 1993

UN-NO. (IATA): UN 1993

UN-NO. (ADN): UN 1993

UN-NO. (RID): UN 1993

14.2 UN proper shipping name

Proper Shipping Name (ADR): FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol)

Proper Shipping Name (IMDG): FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol)

Proper Shipping Name (IATA): Flammable liquid, n.o.s. (ethanol; ethyl alcohol)

Proper Shipping Name (ADN): FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol)

Proper Shipping Name (RID): FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol)

Transport document description (ADR): UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol), 3, II, (D/E)

Transport document description (IMDG): UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol), 3, II

Transport document description (IATA): UN 1993 Flammable liquid, n.o.s. (ethanol; ethyl alcohol), 3, II

Transport document description (ADN): UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol), 3, II



Transport document description (RID): UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol), 3, II

ADR

Transport hazard class(es) (ADR): 3

Danger labels (ADR): 3



:

IMDG

Transport hazard class(es) (IMDG): 3

Danger labels (IMDG): 3



:

IATA

Transport hazard class(es) (IATA): 3

Danger labels (IATA): 3



:

ADN

Transport hazard class(es) (ADN): 3

Danger labels (ADN): 3



:

RID

Transport hazard class(es) (RID): 3

Danger labels (RID): 3



:

14.4 Packing group

Packing group (ADR): II

Packing group (IMDG): II

Packing group (IATA): II

Packing group (ADN): II

Packing group (RID): II

14.5 Environmental hazards

Dangerous for the environment: No

Marine pollutant: No



Other information: No supplementary information available

14.6 – Special precautions for user:

Classification code (ADR): F1

Special provisions (ADR): 274, 601, 640D

Limited quantities (ADR): 1l

Excepted quantities (ADR): E2

Packing instructions (ADR): P001, IBC02, R001

Mixed packing provisions (ADR): MP19

Portable tank and bulk container instructions (ADR): T7

Portable tank and bulk container special provisions (ADR): TP1, TP8, TP28

Tank code (ADR): LGBF

Vehicle for tank carriage: FL

Transport category (ADR): 2

Special provisions for carriage - Operation (ADR): S2, S20

Hazard identification number (Kemler No.): 33

Orange plates :

30

1993

Tunnel restriction code (ADR): D/E

EAC code: •3YE

Transport by sea:

Special provisions (IMDG): 274

Limited quantities (IMDG): 1 L

Excepted quantities (IMDG): E2

Packing instructions (IMDG): P001

IBC packing instructions (IMDG): IBC02

Tank instructions (IMDG): T7

Tank special provisions (IMDG): TP1, TP28, TP8

EmS-No. (Fire): F-E

EmS-No. (Spillage): S-E

Stowage category (IMDG): B

Air transport:

PCA Excepted quantities (IATA): E2

PCA Limited quantities (IATA): Y341

PCA limited quantity max net quantity (IATA): 1L

PCA packing instructions (IATA): 353

PCA max net quantity (IATA): 5L

CAO packing instructions (IATA): 364

CAO max net quantity (IATA): 60L

Special provisions (IATA): A3

ERG code (IATA): 3H

Inland waterway transport:

Classification code (ADN): F1

Special provisions (ADN): 274, 601, 640D

Limited quantities (ADN): 1 L



Excepted quantities (ADN): E2
Equipment required (ADN): PP, EX, A
Ventilation (ADN): VE01
Number of blue cones/lights (ADN): 1

Rail transport:

Classification code (RID): F1
Special provisions (RID): 274, 601, 640D
Limited quantities (RID): 1L
Excepted quantities (RID): E2
Packing instructions (RID): P001, IBC02, R001
Mixed packing provisions (RID): MP19
Portable tank and bulk container instructions (RID): T7
Portable tank and bulk container special provisions (RID): TP1, TP8, TP28
Tank codes for RID tanks (RID): LGBF
Transport category (RID): 2
Colis express (express parcels) (RID): CE7
Hazard identification number (RID): 33

14.7 – Transport in bulk according to IMO instructions

Not applicable.

15: Regulatory Information:

15.1 – Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1 – EU regulations:

REACH Annex XVII (Restriction List): Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)
REACH Annex XIV (Authorisation List): Contains no substance(s) listed on REACH Annex XIV (Authorisation List)
REACH Candidate List (SVHC): Contains no substance(s) listed on the REACH Candidate List
PIC Regulation (Prior Informed Consent): Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)
POP Regulation (Persistent Organic Pollutants): Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)
Ozone Regulation (1005/2009): Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)
Explosives Precursors Regulation (2019/1148): Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)
Drug Precursors Regulation (273/2004): Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2 – National Regulations:

Germany

Water hazard class (WGK): Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV).

Hazardous Incident Ordinance (12. BImSchV): Is not subject of the Hazardous Incident Ordinance (12. BImSchV)



Netherlands

SZW-lijst van kankerverwekkende stoffen: Ginger Oil, Allspice oil, Coriander seed oil, Ethanol are listed

SZW-lijst van mutagene stoffen: Ginger Oil, Allspice oil, Coriander seed oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding: Ethanol is listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid: Ethanol is listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling: Ethanol, methyl salicylate are listed

Denmark

Class for fire hazard: Class I-1

Store unit: 1 liter

Classification remarks: F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations: Young people below the age of 18 years are not allowed to use the product

15.2 – Chemical safety assessment:

No chemical safety assessment has been carried out.

16: Other Information:

Abbreviations and acronyms	
ADN	European Agreement concerning the international carriage of dangerous goods by inland waterways
ADR	European Agreement concerning the international carriage of dangerous goods by road
ATE	Acute toxicity Estimate
BCF	Bio-concentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived minimal effect level
DNEL	Derived-no effect level
EC-No.	European community number
EC50	Median effective concentration
EN	European standard
IARC	International Agency for research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bio accumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the international Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)



TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bio accumulative
ED	Endocrine disrupting properties

Full Text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

The information contained herein is to the best of our knowledge, but since the circumstances and conditions in which it may be used are beyond our control, we do not accept any liability whatsoever, however arising, which results directly or indirectly from the use of the product.